



The Plumbing Firm LLC

Paul Piccione
322 Bar None Rd
Jefferson, NC 28640

☎ (770) 356-0103
✉ ppiccione@bellsouth.net

INVOICE	#3364
SERVICE DATE	Mar 03, 2025
PAYMENT TERMS	Upon receipt
DUE DATE	Mar 03, 2025
AMOUNT DUE	\$6,420.00

CONTACT US

PO Box 439
Wilkesboro, NC 28697

☎ (336) 972-7170
✉ info@theplumbingfirm.com

INVOICE

Services	qty	unit price	amount
Tankless	1.0	\$6,000.00	\$6,000.00

Customer had us remove tank type electric water heater and relocated new rinnia tankless water heater to closet . We had to run new gas line across crawlspace in 3/4 black iron to tankless as well as water lines . We piped off condensation line and terminated vents for tankless out outside wall . Gas line was inspected and unit has been fired everything working as should .

Services subtotal: \$6,000.00

Subtotal	\$6,000.00
Total Tax	\$420.00
NC-Ashe (7%)	\$420.00
Job Total	\$6,420.00
Amount Due	\$6,420.00

See our [Terms & Conditions](#)

SERIAL #: SC-BA-040246

Model #: RXP1991 (REU-MBP3237FF-US)

DIAGRAM # (CONSULTEZ LE)

CSA/ANSI Z21.10.3 • CSA 4.3-2019

23-0320



Direct Vent Appliance Installation: Water Heater
Use/Installation instructions: Consult the manufacturer's literature for ventilation details.

FOR INSTALLATION IN A MANUFACTURED HOME (MOBILE HOME).
FOR INSTALLATION IN A MANUFACTURED HOME (MOBILE HOME).

Type of Gas (Type de gaz):
Input Rating (Rated Input) (Wattage)

Minimum: 199,000 BTU/H
Maximum: 15,000 BTU/H

Minimum: 10.5 W.C. / (2.61 kPa)
Maximum: 3.5 W.C. / (0.87 kPa)

Minimum: 0.34 W.C. / (0.09 kPa)

As follows:

Follow the South Coast Air Quality Management District Rule 116.2.
S'il s'agit d'une installation, suivez les règles de la qualité de l'air de South Coast Air.

For details, see the manufacturer's literature.
Pour les détails, consultez la littérature du fabricant.

Minimum Water Pressure / Pression d'eau minimum: 150 psi
Backflow Prevention / Prévention de la pollution: 150 psi

Water/Heater: 2" (51 mm)

FOR EITHER DIRECT VENT OR FOR DIRECT VENT

(See manufacturer's literature for details.)

FOR EITHER DIRECT VENT OR FOR DIRECT VENT

(See manufacturer's literature for details.)

FOR EITHER DIRECT VENT OR FOR DIRECT VENT

(See manufacturer's literature for details.)

FOR EITHER DIRECT VENT OR FOR DIRECT VENT

(See manufacturer's literature for details.)

FOR EITHER DIRECT VENT OR FOR DIRECT VENT

(See manufacturer's literature for details.)

FOR EITHER DIRECT VENT OR FOR DIRECT VENT

(See manufacturer's literature for details.)

FOR EITHER DIRECT VENT OR FOR DIRECT VENT

(See manufacturer's literature for details.)

