

INVOICE



Customer #:	823203
Payment Terms:	Net 30
Invoice #:	1913780
Invoice Date:	2024-10-28
Total Due:	\$2,103.81

www.blueridgeenergy.com | 1-800-726-0405

Make Check Payable to: Blue Ridge Energy, LLC

Charles E Lewis
428 Greensboro Rd
Crumpler, NC 28617

Amount Enclosed: \$ _____
Remit To:
Blue Ridge Energy, LLC
PO Box 2008
Lenoir, NC 28645

00008232030001913780000021038100002103816

Customer Name		Delivery/Service Address	Cust #	Invoice #	Inv Date
Charles E Lewis		428 Greensboro Rd - Crumpler, NC 28617	823203	1913780	2024-10-28
Quantity	Item Number	Description	Unit Price	TOTAL	
1.00	6500040	Rinnai I-Series Condensing Boiler Unit	\$3,190.3500	\$3,190.35	
1.00	Service Parts	Rinnai Primary-Secondary Heating Kit	\$344.2500	\$344.25	
1.00	White Goods Disposal	White Goods Disposal Tax	\$3.0000	\$3.00	
-1.00	Service Parts	100.00 Discount	\$100.0000	-\$100.00	
4.25	Install Labor	Installation Labor	\$200.0000	\$850.00	
1.00	Service Parts	Rinnai Matsui Plumbing Isolation Kit	\$91.2600	\$91.26	
10.00	Propane	Set Leased 320 Propane Tank w/ 10 Gallons Delivered By: on 10/28/2024 Starting Meter Reading: 0, Ending Meter Reading: 10.00	\$3.2590	\$32.59	
12.00	11009021	COPPER TUBING 3/8	\$3.5000	\$42.00	
2.00	Service Parts	3/8 Nuts	\$1.9400	\$3.88	
1.00	Service Parts	3/8 fl 90 Elbow	\$4.5000	\$4.50	
1.00	Service Parts	3/8 fl x 1/2 p Fitting	\$5.9600	\$5.96	
1.00	Service Parts	3/4 Black Iron Close Nipple	\$1.3300	\$1.33	
3.00	Service Parts	3/4 Black Iron 3 & 4" Nipple	\$2.1100	\$6.33	
1.00	Service Parts	3/4 Black Iron Tee	\$4.6800	\$4.68	
1.00	Service Parts	3/4 Black Iron 90 & st90 Elbow	\$3.7300	\$3.73	
1.00	Service Parts	3/4 Black Iron Drip Leg	\$27.2400	\$27.24	
1.00	Service Parts	3/4 Black Iron Drip Leg	\$2.4800	\$4.96	
2.00	Service Parts	Black Iron 3/4 x 1/2 Bell	\$6.8100	\$245.16	
36.00	11009101	Flash Shield 1/2	\$37.1100	\$74.22	
2.00	Service Parts	1/2 Flash Shield Fitting	\$36.8900	\$36.89	
1.00	Service Parts	1/2 Termination Fitting	\$9.5900	\$47.95	
5.00	11009100	Flash Shield 3/4	\$37.1100	\$74.22	
2.00	Service Parts	3/4 Flash Shield Fitting	\$23.9400	\$23.94	
1.00	Service Parts	1/2 Cutoff	\$28.7800	\$28.78	
1.00	Service Parts	3/4 Cutoff	\$108.5400	\$108.54	
1.00	Service Parts	2nd Stage Regulator	\$125.5100	\$125.51	
1.00	Service Parts	3/4 Maxitrol	\$0.7300	\$43.80	
60.00	Service Parts	1/2 Poly + Tracer	\$70.6400	\$141.28	
2.00	Service Parts	1/2 x 84 Riser	\$0.6600	\$4.62	
7.00	Service Parts	J Strap			
1.00		Security Deposit Adjustment	-\$3,749.9300	-\$3,749.93	

INVOICE



Customer #:	823203
Payment Terms:	Net 30
Invoice #:	1913780
Invoice Date:	2024-10-28
Total Due:	\$2,103.81

www.blueridgeenergy.com | 1-800-726-0405

Charles E Lewis
428 Greensboro Rd
Crumpler, NC 28617

Make Check Payable to: Blue Ridge Energy, LLC

Amount Enclosed: \$ _____
Remit To:
Blue Ridge Energy, LLC
PO Box 2008
Lenoir, NC 28645

00008232030001913780000021038100002103816

Ashe County Tax:	\$123.03
North Carolina State Tax:	\$259.74

Tank/Equipment: Fuel Tank - Leased 320LP AG 2SH099663

For Fuel or Service At:
428 Greensboro Rd - Crumpler, NC 28617

Sub Total	\$1,721.04
Charges	\$0.00
Tax Total	\$382.77
TOTAL DUE	\$2,103.81

ACCOUNT BALANCE	\$2,103.81
-----------------	------------

10/28/2024 - Technician: Donny Pruitt - Work Performed: - Set 320 ag serial # 2SH 099663 with 10 gal lp installed and vented boiler put on air pressure dug in high pressure line

Blue Ridge Energy, LLC
PO Box 2008
Lenoir, NC 28645




MADE IN JAPAN

This equipment complies with the requirements of ASHRAE Standard 90.1/Contains

FCC ID: P416M762CMFRIC: 9225A-3M762CMFR

Combination Boiler



MODEL NO.

IP120189C(REB-83558FF-US)

(MODELE NO.)

TYPE OF GAS

NATURAL GAS/(GAZ NATUREL)

(TYPE DE GAZ)

SERIAL NO.

SE9A-073315

(NUMERO DE SERIE)

ANSI Z39.1-2022 CSA 4.9 Low Press Boiler



26-0324

MAX INPUT RATE (CONSUMATION CALORIFIQUE MAX(CO))	CH 120,000BTU/H
MIN INPUT RATE (CONSUMATION CALORIFIQUE MIN)	DHW 199,000BTU/H
OUTPUT RATING (DEBIT CALORIFIQUE)	15,000BTU/H
MIN RELIEF VALVE CAPACITY (CAPACITE MIN DE LA SOUPAPE DE SECURITE)	112,000BTU/H
MANIFOLD PRESSURE (PRESSION A LA RAMPE)	190 lbs. per hour.
MAX WATER PRESSURE (CH) (PRESSION D'EAU MAX(CH))	-0.56" W.C. (-0.140kPa)
MAX WATER PRESSURE (DHW) (PRESSION D'EAU MAX(DHW))	45 psi
MAX GAS SUPPLY PRESSURE (PRESSION MAX D'ALIMENTATION EN GAZ)	150 psi
MIN GAS SUPPLY PRESSURE (PRESSION MIN D'ALIMENTATION EN GAZ)	10.5" W.C. (2.68kPa)
	3.5" W.C. (0.87kPa)

NOx EMISSIONS - 149g/3

Pursuant to South Coast Air Quality Management District Rule 1146.2
Conformément à la règle 1146.2 du district de gestion de la qualité de l'air de South Coast Air

Installation Clearances / Déclassements d'installation

Back / Arrière 0" (0 mm)	Front / Avant 5" (127 mm)	Top / Dessus 2" (51 mm)
Side / Côté 2" (51 mm)	Ground / Sol 12" (305 mm)	Vent / Ventilation 2" (51 mm)

FOR INDOOR INSTALLATION ONLY / POUR INSTALLATION EN INTERIEUR SEULEMENT

20 VOLT 60 HZ less than 14 AMPS / 120 V 60 Hz moins de 14 A
For hard-wired connections use No. 14 AWG wires
Pour les connexions durables