

INVOICE



Customer #:	59691555
Payment Terms:	Net 30
Invoice #:	1980668
Invoice Date:	2024-11-13
Total Due:	\$305.88

www.blueridgeenergy.com | 1-800-726-0405

Make Check Payable to: Blue Ridge Energy, LLC

Kenneth Lynn
 232 Bird's Eye View Lane
 Fleetwood, NC 28626

Amount Enclosed: \$ _____

Remit To:
 Blue Ridge Energy, LLC
 PO Box 2008
 Lenoir, NC 28645

00596915550001980668000003058800000305885

Customer Name		Delivery/Service Address		Cust #	Invoice #	Inv Date
Kenneth Lynn		232 Bird's Eye View Lane - Fleetwood, NC 28626		59691555	1980668	2024-11-13
Quantity	Item Number	Description	Unit Price	TOTAL		
1.00	6202520	Rinnai Tankless Water Heater	\$1,193.7300	\$1,193.73		
1.00	Service Parts	Rinnai Standard Vent Kit	\$111.7800	\$111.78		
1.00	White Goods Disposal	White Goods Disposal Tax	\$3.0000	\$3.00		
1.50	Install Labor	Installation Labor	\$200.0000	\$300.00		
1.00	Service Parts	Rinnai 19.5 Vent Extension	\$77.1300	\$77.13		
1.00		Security Deposit Adjustment	-\$1,497.5500	-\$1,497.55		
		Ashe County Tax:	\$37.87			
		North Carolina State Tax:	\$79.92			

Tank/Equipment: Fuel Tank - Tank 1 LP 2SD109670

For Fuel or Service At:
 232 Bird's Eye View Lane - Fleetwood, NC 28626

Sub Total	\$188.09
Charges	\$0.00
Tax Total	\$117.79
ACCOUNT BALANCE	\$305.88
TOTAL DUE	\$305.88

11/13/2024 - Technician: Justin Phillips - Work Performed: - water heater swap out. Credit plumbing kit charge for 19.5 extension

Blue Ridge Energy, LLC
 PO Box 2008
 Lenoir, NC 28645

SERIAL #: SF. UA-083296



ASSEMBLED IN GRIFFIN 23-3173
(REU-VE2432FFD-US)

Model #: RE180i

CSA/ANSI Z21.10.3 - CSA 4.3-2019



This water heater requires a special venting system. Refer to the installation instructions for parts list and method of installation. This equipment complies with the requirements of ASHRAE Standard 90.1.

Type of Gas:	Propane Gas
Input Rating	180,000 BTU/H
	Maximum:
	Minimum:
Maximum Inlet Gas Pressure:	10,400 BTU/H
Minimum Inlet Gas Pressure:	13.0"W.C. / (3.24kPa)
Min. Inlet Gas Pressure For Adjustments:	8.0"W.C. / (1.99kPa)
Manifold Pressure-High Fire:	11.0"W.C. / (2.74kPa)
Manifold Pressure-Low Fire:	3.5"W.C. / (0.87kPa)
Maximum Water Pressure:	1.1"W.C. / (0.27kPa)
Mox Emissions:	150psi
	<77ppm

Suitable for combination water (potable) heating and space heating and not suitable for space heating applications only.

Direct-Vent Automatic Instantaneous Water Heater