



REMIT TO:  
**G&B ENERGY**  
 P.O. BOX 811  
**G&B ENERGY** 28621  
 P.O. BOX 811  
 ELKIN, NC 28621

G&B ENERGY - WEAVERVILLE  
 185 NORTH BUNCOMBE SCHOOL RD  
 WEAVERVILLE, NC 28787  
 828-645-1007

\*\*\* SERVICE INVOICE \*\*\* 83561 \*\*\*

WILLIAM & LORI BECKER  
 590 EDDIE CODY RD  
 MARSHALL, NC 28753

ACCT# 521733 2/13/26

RETURN TOP PORTION WITH YOUR REMITTANCE.  
 RETURN TOP PORTION WITH YOUR REMITTANCE.

SVC# 1

| QUANTITY | DESCRIPTION   | AMOUNT  |
|----------|---|---------|
| 1.000    | TOTAL MATERIAL USED   | 150.00  |
| 1.000    | FLARE SEAL CAP 1/2  |         |
| 1.000    | BALL VALVE 3/4 X 3/4  |         |
| 1.000    | NIPPLE 3/4 X 3  |         |
| 1.000    | TEE 3/4   |         |
| 1.000    | UNION 3/4   |         |
| 1.000    | CAP 3/4" BLACK STEEL  |         |
| 10.000   | FLASH SHIELD TUBING 3/4"                                    |         |
| 2.000    | FLASH SHIELD 3/4" STRAIGHT FITTING                          |         |
| 1.000    | NIPPLE 3/4X12"  |         |
| 1.000    | NIPPLE 3/4 X 2  |         |
| 1.000    | PRESSURE TEST   |         |
| 1.000    | VENT KIT FOR R75LSI/R94LSI                                  | 178.00  |
| 1.000    | RINNAI WATER HEATER INTERN W ISLO. KIT RINNAI RL94I, SERIAL | 1271.00 |

\* CONTINUED \* PAGE 1



REMIT TO:

G&B ENERGY  
 P.O. BOX 811  
 ELKIN, NC 28621

G&B ENERGY - WEAVERVILLE  
 185 NORTH BUNCOMBE SCHOOL RD  
 WEAVERVILLE, NC 28787  
 828-645-1007

\*\*\* SERVICE INVOICE \*\*\* 83561 \*\*\*

WILLIAM & LORI BECKER  
 590 EDDIE CODY RD  
 MARSHALL, NC 28753

ACCT# 521733 2/13/26

RETURN TOP PORTION WITH YOUR REMITTANCE.  
 RETURN TOP PORTION WITH YOUR REMITTANCE.

| QUANTITY | DESCRIPTION                        | AMOUNT  | SVC# |
|----------|------------------------------------|---------|------|
|          |                                    |         | 1    |
| 1.000    | #SC.VA-031247<br>PLUMBING MATERIAL | 100.00  |      |
|          | TOTAL PARTS                        | 1699.00 |      |
|          | TOTAL LABOR 6.00 HOURS             | 600.00  |      |
|          | NC SALES TAX                       | 160.93  |      |
|          | WHITE GOODS TAX                    | 3.00    |      |

<<< TOTAL CHARGE FOR INVOICE # 83561 >>> 2462.93

SITE:WILLIAM & LORI BECKER/590 EDDIE CODY RD/./MARSHALL NC 28753  
 DISPATCH DATE: 2/13/26  
 CALL REASONS: INSTALLATION  
 WORK PERFORMED: INSTALLED WATER HEATER

REMOVED CUSTOMERS OLD WATER HEATER AND INSTALLED NEW RINNAI RL94I. CONNECTED NEW GAS LINE, WATER LINES AND INSTALLED VENT. LEAK CHECKED, NO LEAKS FOUND.

\*\* Scheduled for 01/05/2026 \*\*

Reason: 2-INSTALLATION

REMOVE OLD WATER HEATER, INSTALL NEW RINNAI RL94I WITH VENT, RECONNECT WATER AND GAS LINES.

Workorder #: 83561

lhensley

Logged on: 01/05/2026 11:01

Printed: 01/05/2026 11:01

Scheduled For: 01/05/2026

Arrive:

Complete:

AR1 Cust#: 521733

S#: 1 DIV: 18 TYP: 1 Zone: WV13

WILLIAM & LORI BECKER

Tel: (828) 713-6720 SRP: 1 LCD:

590 EDDIE CODY RD

SCT: SDV: 0.00 AMT: 0.00 SRD:

SCY: 33 LTX PTX TWD:

MARSHALL, NC 28753

CR LIM: COD BAL: .00 HWG: 0

Delivery: LDD:08/01/2025 432.0000units.(WCA)DTRO:2256SIZE:1000LOC:7U

Service Addr: WILLIAM & LORI BECKER/590 EDDIE CODY RD./MARSHALL NC 28753

Instruct: 25-70, SHARP HOLLOW RD, EDDIE CODY RD/HEAT, LOGS, COOK /OWNS 1000 UG #028458

Site Defn:

Installation Component:

i/27  
0900

ACCT#:521733 WO #: 83561 S #: 1 Call date: 01/05/2026

Tank Monitor: Set Up or Pick Up Monitor ID \_\_\_\_\_

Product LP Rate 28 Use Heat/water Automatic \_\_\_\_\_ Will Call

Dwelling Type: Single Family \_\_\_ Multi Family \_\_\_ Mobile Home \_\_\_ Commercial \_\_\_ Agriculture \_\_\_

| Tank Information |        |         | Regulator       |            |                 |         |          |
|------------------|--------|---------|-----------------|------------|-----------------|---------|----------|
| AG or UG         | Set Up | Pick up | Brand           | Model      | Type            | Date    | Location |
| Serial No.       |        |         | <del>REGO</del> | LV4403-PR4 | 1 <sup>ST</sup> | 9.12.01 | TANK     |
| Size             |        |         |                 |            |                 |         |          |
| Mfg. Date        |        |         |                 |            |                 |         |          |
| Mfg.             |        |         |                 |            |                 |         |          |
| % LP in Tank     |        |         |                 |            |                 |         |          |

Pressure Test: Start Time \_\_\_\_\_ am/pm @ \_\_\_\_\_ psi/wc Stop Time \_\_\_\_\_ am/pm @ \_\_\_\_\_ psi/wc Batch

Leak Check: Start Time 4:30 am/pm @ 7 (psi)/wc Stop Time 4:40 am/pm @ 7 (psi)/wc # 504

Regulator Lock Down: Low Pressure \_\_\_\_\_ High Pressure \_\_\_\_\_

Date 2-13-26

Technician Teasley, Wright

Time In 2:00

Time Out 5:00

Customer Name William Becker

Tubing 3/8 \_\_\_\_\_ 1/2 \_\_\_\_\_ 5/8 \_\_\_\_\_

Account Number 521733

KC Tubing 3/8 \_\_\_\_\_ 1/2 \_\_\_\_\_

|                                     |       |             |   |   |         |         |  |
|-------------------------------------|-------|-------------|---|---|---------|---------|--|
| Flare Nut<br>                       | NS-4  | 3/8         |   | Male Flare<br>X<br>Male Pipe<br>Elbow<br> | 49      | 3/8x1/4 |  |
|                                     | NS-4  | 1/2         |   |   | 49      | 3/8x3/8 |  |
|                                     | NS-4  | 5/8         |   |   | 49      | 3/8x1/2 |  |
|                                     | NRS-4 | 1/2x3/8     |   |   | 49      | 3/8x3/4 |  |
| Flare Cap<br>                       | NRS-4 | 5/8x1/2     |   | 49  | 1/2x1/4 |         |  |
|                                     | 26    | 3/8         |   | 49  | 1/2x3/8 |         |  |
|                                     | 26    | 1/2         | 1 | 49  | 1/2x1/2 |         |  |
|                                     | 26    | 5/8         |   | 49  | 1/2x3/4 |         |  |
| Flare Plug<br>                      | 27    | 3/8         |   | 49  | 5/8x3/8 |         |  |
|                                     | 27    | 1/2         |   | 49  | 5/8x1/2 |         |  |
|                                     | 27    | 5/8         |   | 49  | 5/8x3/4 |         |  |
|                                     |       |             |   | 48  | 1/4x1/4 |         |  |
| Flare Union<br>                     | 42    | 3/8         |   | 48  | 3/8x1/4 |         |  |
|                                     | 42    | 1/2         |   | 48  | 3/8x3/8 |         |  |
|                                     | 42    | 5/8         |   | 48  | 3/8x1/2 |         |  |
|                                     | 42R   | 3/8x1/4     |   | 48  | 3/8x3/4 |         |  |
|                                     | 42R   | 1/2x3/8     |   | 48  | 1/2x1/4 |         |  |
|                                     | 42R   | 5/8x3/8     |   | 48  | 1/2x3/8 |         |  |
| Flare Elbow<br>                     | 42R   | 5/8x1/2     |   | 48  | 1/2x1/2 |         |  |
|                                     | 55    | 3/8         |   | 48  | 1/2x3/4 |         |  |
|                                     | 55    | 1/2         |   | 48  | 5/8x3/8 |         |  |
|                                     | 55    | 5/8         |   | 48  | 5/8x1/2 |         |  |
|                                     | 55R   | 1/2x3/8     |   | 48  | 5/8x3/4 |         |  |
|                                     | 55R   | 5/8x3/8     |   | 48  | 5/8x1/4 |         |  |
| Flare Tee<br>                       | 55R   | 5/8x1/2     |   | 54  | 3/8x3/8 |         |  |
|                                     | 44    | 3/8         |   | 54  | 3/8x1/2 |         |  |
|                                     | 44    | 1/2         |   | 54  | 3/8x3/8 |         |  |
|                                     | 44    | 5/8         |   | 54  | 1/2x3/8 |         |  |
|                                     | 44R   | 3/8x3/8x1/2 |   | 54  | 1/2x1/2 |         |  |
|                                     | 44R   | 1/2x3/8x3/8 |   | 54  | 1/2x3/4 |         |  |
|                                     | 44R   | 1/2x1/2x3/8 |   | 54  | 5/8x1/2 |         |  |
|                                     | 44R   | 5/8x5/8x3/8 |   | 54  | 5/8x3/4 |         |  |
| Gas Ball Valve<br>Flare X Flare<br> | 44R   | 5/8x5/8x1/2 |   | 46  | 3/8x1/4 |         |  |
|                                     | T200  | 3/8         |   | 46  | 3/8x3/8 |         |  |
|                                     | T200  | 1/2         |   | 46  | 3/8x1/2 |         |  |
| M Flare X<br>Female Pipe<br>        | T200  | 5/8         |   | 46  | 3/8x3/4 |         |  |
|                                     | 500   | 3/8x1/2     |   | 46  | 1/2x3/8 |         |  |
|                                     | 500   | 1/2x1/2     |   | 46  | 1/2x1/2 |         |  |
| F. Pipe X<br>F. Pipe<br>            | 500   | 5/8x3/4     |   | 46  | 1/2x3/4 |         |  |
|                                     | T300  | 3/8x3/8     |   | 46  | 5/8x3/8 |         |  |
|                                     | T300  | 1/2x1/2     |   | 46  | 5/8x1/2 |         |  |
|                                     | T300  | 3/4x3/4     | 1 | 46  | 5/8x3/4 |         |  |
|                                     | T300  | 1x1         |   |   |         |         |  |

|          |           |          |           |
|----------|-----------|----------|-----------|
| 1/2"     |           | 3/8"     |           |
| Pipe     | PI1/2S4OT | Pipe     | PI3/8S4OT |
| Nipple   | NIP1/2    | Nipple   | NIP3/8    |
| Ell      | EL1/290   | Ell      | EL3/890   |
| Street L | EL1/290ST | Street L | EL3/890ST |
| Tee      | TEE1/2    | Tee      | TEE3/8    |
| Union    | UN1/2     | Union    | UN3/8     |
| Cap      | CAP1/2    | Cap      | CAP3/8    |
| Reducer  | x         | Reducer  | x         |

|          |           |          |         |
|----------|-----------|----------|---------|
| 3/4"     |           | 1"       |         |
| Pipe     | PI3/4S4OT | Pipe     | PI1S4OT |
| Nipple   | NIP3/4 3" | Nipple   | NIP1    |
| Ell      | EL3/490   | Ell      | EL190   |
| Street L | EL3/490ST | Street L | EL190ST |
| Tee      | TEE3/4    | Tee      | TEE1    |
| Union    | UN3/4     | Union    | UN1     |
| Cap      | CAP3/4    | Cap      | CAP1    |
| Reducer  | x         | Reducer  | x       |

Appliance  
Model Rinnai  
Serial PL 94 i  
SC.VA-031247

Appliance  
Model \_\_\_\_\_  
Serial \_\_\_\_\_

Appliance  
Model \_\_\_\_\_  
Serial \_\_\_\_\_

- 10'- FS1134TUB
- 2- FSFT61124
- 1- NIP3/4X12
- 1- NIP3/4X2
- 1- WHSTDKVAS
- PURWAT PLUMB - CUSTOMER #100 - GAS #50
- Pressure Test

Contract Labor \_\_\_\_\_

CO Detector? yes \_\_\_ no \_\_\_  
If customer supplied: Signature \_\_\_\_\_

Miscellaneous Parts and Comments

Removed customers old water heater

Installed New Rinnai Tankless

connected New gas line. Installed vent

connected water lines.

DID a leak check, leak check passed